



TATA PROJECTS LIMITED
PERFORMANCE RATING REPORT OF CONTRACTOR
(SITE WORK)

Name & address: M/s.AMCHEM PRODUCTS PVT. LTD., SECTOR 58,NOIDA-UP Tel. No:120 2580121,186644865 Email:info@amchemproducts.com	Type of Work Carried out: PU COATING FOR LARGE DIA PIPING W. O. No & Date: TPH/KPTPS/WO/TP- 069/752,Dt.12/10/10 Report No. & Date: 04,03/10/2011
Date of rating:03/10/2011	Project: 2X800 MW SDSTPS,KRISHNAPATNAM

S. No.	Requirement	Maximum Points	Points Scored
A.	Site Activities:		
1.	Understanding the scope of work	4	4
2.	Capability to mobilize workforce	5	5
3.	Mobilization of tools and plants	4	4
4.	Productivity	15	14
5.	Document control	2	2
6.	Compliance with statutory requirement	2	2
7.	Compliance with environmental, health and safety regulations	10	8
8.	Handling, storage & preservation	4	3
9.	Quality of site work @	15	14
10.	Workmanship	4	4
B.	Work completion schedule	30	29
	<u>Scheduled completion period</u> x 30 Actual time taken to complete		
C.	Response to TPL/ client & to change orders	5	5
		100	94

@ Including calibration and maintenance of IMTE.
 Sl.Nos.A.5 to A.10 to be rated by FQE/ PM

Remarks:

 Name, Signature & Date Krishna FQE	 Name, Signature & Date PM/RCM
--	--

- Note: 1) Contractor will get 30 points in case work is completed within contractual delivery period. The formula has to be applied, if the deliveries are delayed for the reasons attributable to the contractor.
- 2) If any of the above parameters are not applicable for a particular work order, rating of the contractor shall be on pro-rata basis.
- 3) Reasons for poor performance shall be given in the remarks column.

Certificate of Appreciation

M/s Amchem Products Pvt Ltd

has been chosen as "**Best Quality Conscious Sub-Contractor**" in recognition

of quality work at APPDCL, 2x800 MW SDS TPS Project, Krishnapatnam,

from January 1, 2013 to October 31, 2013.



GVRN Acharyulu
Head-QMD



B Sudhakar
Corporate Quality & Safety Head



KIRLOSKAR BROTHERS LIMITED

Enriching Lives

PROJ/PUR/Supplier-Perf/10-11
June 23, 2011

Amchem Products, Pvt. Ltd.
A-79, Sector 58,
Noida 201307, India

Kind Attn:

Subject: Supplier Performance Evaluation (October 2010- March2011).

Dear Sir,

We have conducted 'Supplier Performance Evaluation' for the goods supplied / services provided by you during the period October 2010- March2011. The evaluation is carried out on the basis of various attributes (ref annexure I attached for attributes details).

The performance evaluation results are attached herewith (ref annexure II) for your reference. Considering this, we wish to congratulate you **on your overall excellent performance in executing these orders and look forward** to continue the same in upcoming years for maintaining a long term business relationship.

Further, in case you require any details / clarifications, please contact the undersigned.

Thanking you.

Yours faithfully,

For **KIRLOSKAR BROTHERS LIMITED**


RANGNATH KADAM
GENERAL MANAGER (MATERIALS)

Encl: 1) Annexure I
2) Annexure II


ANNEXURE – I

SUPPLIER PERFORMANCE EVALUATION

Sr. No.	Attribute	Ranking				
		1 Poor	2 Below Average	3 Average	4 Good	5 Excellent
1	Product Performance	Non-performing	Wide gap	Near to specified	As specified	Consistent over period of time.
2	Documentation (Technical & Commercial)	Unclear, Incomplete & Inaccurate.	Interpretation required, Just adequate but some Disparities in data.	Average clarity, complete & no error in data.	Absolute clarity, more useful and error free data.	In addition to clarity, usefulness & error free data, the design of presentation & friendliness of the data is remarkable.
3	On Time Delivery	Late deliveries despite frantic follow-up. No Information given about Deliveries.	Some requirements on time but with close follow-up. Much difference in information & actual Deliveries.	Major requirements On time with some Follow-up. Slight difference in information & actual deliveries.	Deliveries on time with little follow-up & Few exceptions for Which prior information given & recommitment Delivery is met.	All deliveries on time without Follow-up. In rare cases of delays, prior approval taken and Recommitted delivery is met.
4	Response Time	No response after placement of order. No access to get the feedback.	Delayed responses After reminders. Responses normally ask to contact somebody else in the organisation.	Responses are received in reasonable time but are inadequate.	Responses are fast and adequate.	Responses are very prompt and reflect concern to satisfy respondent.

ANNEXURE-II

SUPPLIER	Amchem Products, Pvt. Ltd.		VENDOR CODE	395618		PRODUCT	PurethaneAR primer activator	
PO No	Project	Sector	ATTRIBUTE (Rating out of 5)		On Time Delivery	Response Time	Average score	
3100121846	NTPC Simhadri STPP (2 X 500) Stage II	POWER	Product Performance	4	4	4	4	4.0





"एक उत्कृष्टतापरक दल"
"A Team in Pursuit of Excellence"

नेशनल बिल्डिंग्स कन्स्ट्रक्शन कॉर्पोरेशन लिमिटेड
(भारत सरकार का उद्यम)
National Buildings Construction Corporation Ltd.
(A Govt. of India Enterprise)
INFRASTRUCTURE ZONE :
C-21 STATE EMPORIA BUILDING,
BABA KHARAK SINGH MARG, NEW DELHI-110001
PHONE : 23343069 TELEFAX : 01 11 23742436
E-mail : nbccemz@vsnl.com



AN IS/ISO : 9001
C O M P A N Y
(For Consultancy & Project Management Division)

No.GM:IZ:SMPP:2003 - 4833

3rd November, 2003

TO WHOM SO EVER IT MAY CONCERN


It is to certify that M/s Amchem Products Pvt.Ltd., NOIDA was engaged by us for Providing and Applying 100% Solids, High Build Elastomeric Polyurethane Coating of 2.00mm thickness vide our Work Order No.2228/IZ/493 dated 05th March, 2001 of our Natural Draught Cooling Towers of 2x500 MW capacity Super Thermal Power Project at Simhadri at Paravada, Distt. Vishakhapatnam, A.P.

They have executed the following quantities of this specialised coating :

1. Coating on Concrete Surface of Cooling Tower-I job completed on 20.01.2002. = 57,482 Sqm
2. Coating on Internal faces of 3.2 & 2.4m diameter M.S. Pipe of two Cooling Towers job completed on 12.03.2002. = 2242 Sqm

M/s Amchem managed the above works by deploying equipments like Graco Hydra Cat, Airless Spray Unit, Blasting M/c and Air Compressors etc. with a peak output of 1079 Sqm in a particular day.

We wish him success for a bright future.


J N MEHRA
General Manager

भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड

भारत सरकार का उपक्रम
पूर्व क्षेत्रीय कार्यालय, कोलकाता

REF : C/E/CONTRACTOR/CON



BHARAT PETROLEUM CORPORATION LTD.

A Govt. of India Enterprise
Eastern Regional Office, Kolkata

DT. 04/04/2005

TO WHOMSOEVER IT MAY CONCERN

This is to inform you that the party M/s.Amchem Products Private limited, Noida had completed the job of 100 percent Solid PU Coating job of 24 " & 16 "underground jetty pipeline at Haldia vide Agreement no. 108/00-01 dated 06/09/2000, Tender No. E/67/00-01 Dated 25/08/2000 within the stipulated time as sub-vendor of M/s Expogas Container, Haldia .

The performance of the sub- vendor during the subject job was found to be satisfactory.

Thanking you

Yours faithfully

For Bharat Petroleum Corporation Limited

Amitrajit Bhattacharya

Senior Manager Incharge , E&P, East

भारत भवन, प्लॉट नं. 31, प्रिन्स गुलाम मोहम्मद शाह रोड, गोल्फ ग्रीन, पो. बॉक्स नं. 16201 एवं 16204, कोलकाता-700095

फोन : 24293050, 24293051, फैक्स : (033) 24293144(प्रथम तल), 24293354/55(तृतीय तल)

पंजीकृत ऑफिस : भारत भवन, 4 एवं 6, करीमभोंय रोड, वेलाई इस्टेट, पोस्ट बॉक्स नं. 688, मुंबई - 400 001

Bharat Bhavan, Plot No. 31, Prince Gulam Md. Shah Road, Golf Green, Post Box No. 16201 & 16204, Kolkata-700095

Telephone : 24293050, 24293051, Fax : (033) 24293144(1st Floor), 24293354/55(3rd Floor)

Registered Office : Bharat Bhavan, 4 & 6, Currimbhov Road, Ballard Estate, Post Box No. 688 Mumbai - 400 001

**AMCHEM****PRODUCTS PVT. LTD**A-79, Sector 58, NOIDA 201301, INDIA
Tel 91-120-2580121, Fax 91-120-2581351
E Mail : Info@amchemproducts.com**COMPLETION
CERTIFICATE**

Job Ref. Number		13
Dated		23.04.2003
Purchaser		Location
G.R Engineering Works Ltd. Poonam Chambers, Dr. Annie Besant Road, Worli, Mumbai 400 018		IOCL LPG Bottling Plant, Chengelpet, Tamil Nadu.
P.O No. P17/02/508/671 A&B Dated 19.07.2002		ORIGINAL
S.No	Description	Quantity
1	<u>COATING APPLICATION</u> External Coating of 3 No's Mounded Storage Vessels for LPG using Purethane 386/9000 at 1,000 Microns minimum thickness after blast cleaning to SSPC SP-10 (Near White) with Anchor Profile of 75-100 Microns and Priming with Purethane AR Primer.	2,810.08 Sq. Metres
Remarks / Clients Recommendations		
- Client - M/s Indian Oil Corporation Ltd. - Third Party Inspection - M/s Projects And Development India Ltd., Chennai - Blast cleaning done using granulated copper slag. - Highly committed to quality in all aspects of the job material supply, surface preparation, application and final testing. - Crew were very hard working; skilled and oriented to providing timely completion. - The equipments and machineries were of international make and were getting high output.		
Job Completed To Our Satisfaction		For Amchem Products Pvt. Ltd
For the purchaser		Authorised signatory



AMCHEM

PRODUCTS PVT. LTD

A-79, Sector 58, NOIDA 201501, INDIA
Tel 91-120-2580121, Fax 91-120-2581351
E Mail : info@amchemproducts.com

COMPLETION CERTIFICATE

Job Ref. Number	15
Dated	02/06/03

Purchaser FABTECH ENGINEERS J-504, MIDC Bhosari, Pune 411 026	Location IOCL LPG Bottling Plant, Quilon, Kerala
P.O No. FT/APPL/2002-2003/461A dated 3.2.2003	ORIGINAL

S.No	Description	Quantity
1	<u>COATING APPLICATION</u> External Coating of 3 No's Mounded Storage Vessels for LPG using Purethane 386/9000 at 1,000 Microns minimum thickness after blast cleaning to SSPC SP-10 (Near White) with Anchor Profile of 75-100 Microns and Priming with Purethane AR Primer.	1,692 Sq. Metres

Remarks / Clients Recommendations

1	Client - M/s Indian Oil Corporation Ltd.
2	Third Party Inspection - M/s Projects And Development India Ltd (PDIL).
3	Blast cleaning done using granulated copper slag.
4)	Amazing speed right from mobilization to demobilization against all odds
5)	Dedicated & skilled crew
6)	Well maintained & high capacity machines
7)	Targetted schedule maintained inspite of bad weather due to up coming monsoons in Kerala

Job Completed To Our Satisfaction
For the purchaser

Signature
R.A. Rupnar
Managing Partner
for Fabtech engineers

For Amchem Products Pvt. Ltd

Signature
Authorized signatory

**AMCHEM****PRODUCTS PVT. LTD**A-79, Sector 58, NOIDA 201301, INDIA
Tel 91-120-2580121, Fax 91-120-2581351
E Mail : Info@amchemproducts.com**COMPLETION
CERTIFICATE**

Job Ref. Number	016
Dated	15/06/2003

Purchaser SHARP TANKS & STRUCTURALS PVT. LTD., IOCL LPG Bottling Plant, Peria Kalandai Village, Kattamatty Post, Pollachi Taluk, Coimbatore - 638 202	Location IOCL LPG Bottling Plant, Peria Kalandai Village, Near Coimbatore, Tamil Nadu.
P.O No. FT/APPL/2002-2003/461A dated 3.2.2003	<u>DUPLICATE</u>

S.No	Description	Quantity
1	<u>COATING APPLICATION</u> External Coating of 3 No's Mounded Storage Vessels for LPG using Purethane 386/9000 at 1,000 Microns minimum thickness after blast cleaning to SSPC SP-10 (Near White) with Anchor Profile of 75-100 Microns and Priming with Purethane AR Primer.	1,680 Sq. Metres

Remarks / Clients Recommendations

- 1 Client - M/s Indian Oil Corporation Ltd.
- 2 Third Party Inspection - M/s Projects And Development India Ltd (PDIL).
- 3 Blast cleaning done using granulated copper slag.

M/s SHARP TANKS & STRUCTURALS(P) LTD.,
C/o INDIAN OIL CORPORATION LTD,
L.P.G.BOTTLING PLANT,
PERIAKALANDAI,
KATTAMPATTY P.O.
POLLACHI(TALUK)

Job Completed To Our Satisfaction For the purchaser	For Amchem Products Pvt. Ltd Authorised signatory
--	--

**AMCHEM****PRODUCTS PVT. LTD**A-79, Sector 58, NOIDA 201301, INDIA
Tel 91-120-2580121, Fax 91-120-2581351
E Mail : info@amchemproducts.com**COMPLETION
CERTIFICATE**

Job Ref. Number	14
Dated	5/27/03

Purchaser	Location
Sharp Tanks & Structural (P) Ltd., 301 White Rose Apartments, Srinivas Marg, J.B Nagar, Andheri (E), Mumbai 400 059	IOCL LPG Bottling Plant, Una Himachal Pradesh
P.O No. APPL/U/023/03 Dated 6.1.2003	ORIGINAL

S.No	Description	Quantity
1	<u>COATING APPLICATION</u> External Coating of 3 No's Mounded Storage Vessels for LPG using Purethane 386/9000 at 1,000 Microns minimum thickness after blast cleaning to SSPC SP-10 (Near White) with Anchor Profile of 75-100 Microns and Priming with Purethane AR Primer.	1,654.68 Sq. Metres

Remarks / Clients Recommendations

- 1 Client - M/s Indian Oil Corporation Ltd.
- 2 Third Party Inspection - M/s BVIS
- 3 Blast cleaning done using granulated copper slag and 10 MT Bulk Blasting Pot.

Job Completed To Our Satisfaction

For the purchaser

For Sharp Tanks & Structural (P) Ltd.

S SURESH K. S. R.
Site-in charge

For Amchem Products Pvt. Ltd

Authorised signatory